

POOL CLEANERS

Hydraulic Cleaners

Automatic Medium Flow Pumps

Butterfly™

Hydraulic Cleaners

	Handheld						Automatic						0.75HP pump			1HP pump			
Min. Pump Power	45W			85W			Low Flow pump (from 95w)			0.5HP pump			0.75HP pump			1HP pump			
* Minimum System Flow Rate	K535	K563	K923	K816	K738	K755	K767/RV	K910	K389	K915	K905	K800	K922	Zap Max	Zap Max	8m³/h / 2,100gal/h	8m³/h / 2,100gal/h	8m³/h / 2,100gal/h	
Climbs Walls														Dipper	Dipper Max	6m³/h / 1,600gal/h	6m³/h / 1,600gal/h	6m³/h / 1,600gal/h	
Pool Bottom subject to pump power and pool geometry																			
Recommended Type of Pool	Above Ground Pools (from 2.4m / 8ft to 4.57m / 15ft)	Above Ground Pools (from 2.4m / 8ft to 4.57m / 15ft)	Above Ground Pools (from 2.4m / 8ft to 5.5m / 18ft)	Above Ground Pools (from 2.4m / 8ft to 5.5m / 18ft)	Above Ground Pools (from 2.4m / 8ft to 5.5m / 18ft)	Above Ground Pools (from 2.4m / 8ft to 5.5m / 18ft)	Spas + Spot Cleaning	Above Ground Pools (from 4.57m / 15ft to 5.5m / 18ft)	Above Ground Pools (up to 4.85m / 16ft)	Above Ground Pools (up to 6.1m / 20ft)	Above Ground Pools (up to 6.1m / 20ft)	Above Ground Pools (up to 7.3m / 24ft)	Above Ground Pools (up to 8.2m / 27ft)	Above Ground Pools (up to 8.2m / 27ft)	Above Ground Pools (up to 8.2m / 27ft)	Inground Pools (up to 8.2m / 27ft)	Inground Pools (up to 8.2m / 27ft)	Inground Pools (up to 8.2m / 27ft)	
Hose Length	5m / 16ft	6m / 20ft	5m / 16ft	1.90m / 6ft2in	1.21m / 4ft	1.94m / 6ft4in	--	6.1m / 20ft	8m / 26ft3in	8.25m / 27ft	8.25m / 27ft	9.6m / 31ft6in7	9.75m / 32ft	10.4m / 34ft1in	10.4m / 34ft1in	8.25m / 27ftq	8.25m / 27ftq	8.25m / 27ftq	8.25m / 27ftq
Pole Length	1.64m / 5ft4in	1.65m / 5ft4in	1.90m / 6ft2in	1.21m / 4ft	1.94m / 6ft4in	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Key Features	- Twist & lock closing system - Connectors compatible with most leading soft wall pool brands on the market	- Twist & lock closing system - Connectors compatible with most leading soft wall pool brands on the market	- Weighted head smooth gliding on pool floor	- Weighted head Spring headed handle	- Weighted head Soft corner bumpers	- Weighted head Spiral ridges for increased vacuuming efficiency	- Weighted head Add-on brush nozzle, leaf skimmer and practical wall mount bracket	- Weighted head Compatible with most leading soft wall pool brands on the market	- Weighted head Large hose	- Back bumper Pressure regulator	- Low maintenance Fast	- Low maintenance Silent	- Low maintenance Fast	- Low maintenance Silent	- Low maintenance Fast	- Low maintenance Fast	- Hydrodynamic casing	- Sturdy	- Heavy body

* For a cleaner to function correctly both minimum pump power and minimum system flow rate are required.

Hydraulic Cleaners

Automatic Medium Flow Pumps

The **Butterfly™** is a membrane type automatic suction cleaner that is easy to connect through the wall skimmer or dedicated suction line of in-ground or above-ground pools. Its lightweight design, combined with a high-performance spiral wound vacuum hose, enables it to move rapidly across the pool floor and walls. The membrane system ensures the easy passage of debris, low maintenance due to just one moving part, and a very silent operation.

Butterfly™


K905CBX

Features:

- Membrane technology ensures silent operation with optimum cleaning efficiency.
- Low maintenance due to just one moving part.
- Lightweight design enables it to move rapidly across the pool floor.
- Finned disc enables it to glide smoothly across the pool bottom.
- Integrated handle facilitates carrying and lifting out of the pool.
- Simple twist and lock cassette for easy access to change the diaphragm.
- Large circular deflector and weighted bumper to navigate around steps, ladders, and corners even in the most complex pools.
- **High-performance spiral wound vacuum hose reinforced with fiberglass for extra durability.**
- Simple installation.
- Recommended for: In-Ground & Above Ground Pools up to 8.2m / 27ft (excluding soft wall pools)
- Min. System Flow Rate: 1,600gal/hr / 6m³/h
- Min. Pump Power: 0.75HP / 550W
- Also suitable for pools with an inclined bottom.
- Climbs walls.
- Includes 10.4m / 34ft of long wearing spiral wound hose.
- Includes 1 extra replacement membrane. (Additional replacement membranes sold separately)



European patent no. 001820614-0001
US patent application no. 29386977



Compatible with leaf canister K918CBX
(sold separately)

