



POOL CARE EQUIPMENT



## ELECTRIC CLEANERS

### > CYCLONX™

The essentials of Zodiac® technology

**PUSH'N'GO™** Push'n'Go™ system  
(easy access to the filter)

**Filter basket**  
and large capacity (3.7 L)

**Tracks**

**Filter basket**  
and large capacity (3.7 L)

**Multiple cleaning areas**  
(floor, walls, water line)

**Control unit**

**Transport cart**  
(supplied with the cleaner or as an accessory)

### COMPARATIVE TABLE OF RANGES

TECHNICAL SPECIFICATIONS

		RC 4300	RC 4060	RC 4380	RX 4350
Types of pools	Surfaces	Liner, reinforced PVC, painted concrete Polyester hull & tiles with dedicated brushes	Liner, reinforced PVC, painted concrete Polyester hull & tiles with dedicated brushes	Liner, reinforced PVC, painted concrete Polyester hull & tiles with dedicated brushes	Liner, reinforced PVC, painted concrete Polyester hull & tiles with dedicated brushes
	Shapes	Rectangular, oval, free shape	Rectangular, oval, free shape	Rectangular, oval, free shape	Rectangular, oval, free shape
	Size	10 x 5 m (15m cable)	10 x 5 m (15m cable)	10 x 5 m (15m cable)	10 x 5 m (15m cable)
Performance	Traction	Tracks, 1 motor	Tracks, 1 motor	Tracks, 1 motor	Tracks, 1 motor
	Cleaning areas	Floor / walls / waterline	Floor / walls / waterline	Floor / walls / waterline	Floor / walls / waterline
	Cyclonic Suction	-	-	-	-
	Filtering level	100µ	100µ	100µ	100µ
	Filter capacity	3,7L	3,7L	3,7L	3,7L
	Swivel	-	-	-	-
	Sensor Nav System™	-	-	-	-
	Remote control	-	-	-	-
Cycles	Contact + brushes	-	-	-	-
	Number of cycles	2	2	2	2
	Cleaning cycles	Floor / walls / water line Floor only	Floor / walls / water line Floor only	Floor / walls / water line Floor only	Floor / walls / water line Floor only
Ease of use	Manual cleaning time adjustment	-	-	-	-
	iAqualink app control	-	-	-	-
	Lift System	-	-	-	-
	7-day timer	-	-	-	-
	Full filter indicator	-	-	-	-
	Transparent window	-	-	✓	✓
	Illuminated filter	-	-	-	-
	Type of filter	Rigid Filter canister with top access	Rigid Filter canister with top access	Rigid Filter canister with top access	Rigid Filter canister with top access
	Trolley	-	-	-	-
	Warranty	2 years	2 years	2 years	2 years



# RX 4350 CYCLONX™

Pool Cleaners > Electrics > RX 4350 CYCLONX™

**2** YEAR WARRANTY

## CONCENTRATED TECHNOLOGY

- + Optimal cleaning for the floor/walls/water line
- + Large suction capacity
- + Filter access at the push of a button



## REFERENCE PRICE

Product reference:WR000253

## ACCESSORIES INCLUDED IN THE PACK



Control box



Fine Filter canister 100µ

## FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 10 x 5 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Liner, reinforced PVC, painted concrete , polyester hull, Tiles : dedicated brushes kit

## DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles : - Floor «Deep Clean» : 1h30 - Floor / walls / waterline : 1h30
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	Tracks - 1 motor
Transmission	Gear transmission
Brushes	Yes
Lift System	no
Transparent window	Yes
Full filter indicator	No
Remote control	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	20

## TECHNICAL SPECIFICATIONS

Number of motors	2
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	15 m
Cleaner size (L x W x h)	41 x 42 x 28 cm
Packaging size (L x W x h)	56 x 56 x 38 cm
Cleaner weight	9 kg
Packaging weight	17,1 kg
Filtering surface and level	850 cm <sup>2</sup> / 100µ
Filtering capacity	3,7 L
Inlet suction size	22 cm



Spare parts p.XX

## OPTIONAL ACCESSORIES (NOT INCLUDED)

	Ultra-fine filter canister 60µ	Large debris filter canister 200µ	Fine filter canister 100µ	Protective cover	Kit for polyester hull pools (2 brushes)	Kit for slippery surfaces (2 brushes)	trolley
Reference	R0632602	R0632601	R0632600	R0568100	R0697600	R0718600	