



ZODIAC®



ELECTRIC ROBOT CLEANERS



ALPHA IQ™ PRO

- A 6300 iQ
- A 6500 iQ
- A 6700 iQ
- A 6800 iQ
- A 6900 iQ

> ALPHA IQ™, ULTRA-EFFICIENCY COMBINED WITH INTELLIGENCE

With its Sensor Nav System™, the ALPHA IQ™ range identifies the configuration of your pool **to optimise movements** and cleaning time. The patented cyclone suction guarantees **extremely powerful and long-lasting suction**. Thanks to its patented **Lift System**, ALPHA IQ™ is lighter when removing it from the water. Monitor cleaning progress at any time through the **intuitive interface** of the iAquaLink™ application. ALPHA IQ™ is **upgradeable** thanks to possible optimisations and automatic remote updates.



CYCLONIC SUCTION

Patented technology for powerful cleaning

> HOW DOES IT WORK?

Thanks to its unique design, Vortex cleaners feature **Cyclonic Suction** : the flow is **keeping debris in suspension inside the filter** and allows a longer lasting suction while **limiting the clogging**.

Robotic cleaners equipped with cyclonic suction can be found here:
**RE 4300, RE 4200, RE 4400 iQ, RE 4600 iQ, RV 5300, RV 5380,
RA 6300 iQ, RA 6500 iQ, RA 6700 iQ, RA 6800 iQ and RA 6900 iQ**



LIFT SYSTEM

Patented innovation for easier removal from the water

> 20% LESS EFFORT

The robotic cleaner positions itself on the chosen wall and cleans right up to the water line. Then a powerful waterjet propels it from the water: **which means you can remove the robot from the water with just 20% of the effort**.

Robotic cleaners equipped with Lift system:
**RE 4600 iQ, RV 5380, RV 5600, RA 6300 iQ, RA 6500 iQ, RA 6700 iQ,
RA 6800 iQ and RA 6900 iQ**



SENSOR NAV SYSTEM™


Smart navigation system for efficient and customized cleaning

> PERSONALISED CLEANING OF EACH POOL

Sensor Nav System™ gathers different embedded features which enable **the robotic cleaners to learn all about each pool and to adapt its cleaning** in the smartest way.

- Recognition and analysis of the pool dimensions and shape to provide an optimized navigation pattern and cleaning time for each pool.
- Focusing on common dirty areas such as bottom of the walls or flat areas of the pool

Robotic cleaners equipped with Smart Nav system™:
RA 6300 iQ, RA 6500 iQ, RA 6700 iQ, RA 6800 iQ and RA 6900 iQ





SWIVEL

Avoid cable tangling

> HOW DOES IT WORK?

Automatic swivel system prevents cable tangling during cleaner operation in the pool.

The cleaner efficiency is optimized and the cable storage is easier.

Robots equipped with Swivel: **RV 5380, RA 6300 iQ, RA 6500 iQ, RA 6700 iQ, RA 6800 iQ and RA 6900 iQ**



4-WHEEL DRIVE (4WD)

Effective cleaning of all surfaces

> GETTING OVER OBSTACLES MORE EASILY

Equipped with **4-wheel drive**, robots from the **Vortex™ PRO 4WD** and **ALPHA iQ™** ranges adapt to all situations.

> OPTIMAL COVERAGE AND PERFECT GRIP

Thanks to their excellent grip, robots from the **Vortex™ PRO 4WD** and **ALPHA iQ™** ranges get into the tiniest corners of the pool and clean **all kinds of surface**. The robots ensure **the pool is cleaned perfectly**.

Robotic cleaners equipped with 4 Wheel-drive:
RV 5300, RV 5380, RA 6300 iQ, RA 6500 iQ, RA 6700 iQ, RA 6800 iQ and RA 6900 iQ



DUAL STAGE FILTRATION

Finer filtration and long lasting suction


> 2 FILTERS FOR LONG LASTING SUCTION AND FINER DEBRIS PICK UP

These 2 combined filters offer a larger mesh surface that a standard filter which allows to postpone the clogging effects. This unique design also allows the ability to use the larger mesh filter alone, which can be very useful at the beginning of the season

> HOW DOES IT WORK?

2 imbricated filters : the dirty water flows through a coarse layer first (150µ) and a finer one after (60µ). The coarse filter will retain the larger debris and the finer one will then allow a finer filtration.

Robotic cleaners equipped with Dual-stage filtration:
RE 4300, RE 4400 iQ, RE 4600 iQ, RA 6800 iQ and RA 6900 iQ



ALPHA IQ™ PRO

Ultra-efficiency combined with intelligence

RA 6700 iQ model



SensorNavSystem™

- Smart cycle: calculates the optimal cleaning time for each pool
- Pressure sensor: provides superior wall climbing and waterline cleaning
- Water Temperature Sensor



iAquaLink
CONTROL

Wi-Fi Control through iAquaLink™ App

- Remote control mode
- 7 days timer
- Lift System
- Choice, start, stop and monitor the cycles
- Smart cleaning mode
- Display of water temperature

4 YEARS WARRANTY

3 years + 1 additional year if the robot is paired with the iAquaLink™ application*

*See conditions in the warranty guide

ALPHA IQ™ PRO

Ultra-efficiency combined with intelligence



COMPARATIVE TABLE OF RANGES TECHNICAL SPECIFICATIONS		RA 6300 IQ	RA 6500 IQ	RA 6700 IQ	RA 6800 IQ	RA 6900 IQ
Types of pools	Surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete	Tiles, liner, polyester hull, reinforced PVC, painted concrete	Tiles, liner, polyester hull, reinforced PVC, painted concrete	Tiles, liner, polyester hull, reinforced PVC, painted concrete	Tiles, liner, polyester hull, reinforced PVC, painted concrete
	Shapes	Rectangular, oval, free shape	Rectangular, oval, free shape	Rectangular, oval, free shape	Rectangular, oval, free shape	Rectangular, oval, free shape
	Size	12 x 6 m (18m with Swivel cable)	12 x 6 m (18m with Swivel cable)	15 x 7 m (21m with Swivel cable)	15 x 7 m (21m with Swivel cable)	20 x 10 m (25m with Swivel cable)
Performance	Traction	4 wheel drive - 2 motors	4 wheel drive - 2 motors	4 wheel drive - 2 motors	4 wheel drive - 2 motors	4 wheel drive - 2 motors
	Cleaning areas	Floor / walls / waterline	Floor / walls / waterline	Floor / walls / waterline	Floor / walls / waterline	Floor / walls / waterline
	Cyclonic Suction	✓	✓	✓	✓	✓
	Filtering level	60µ	60µ	60µ	150 and 60µ	150 and 60µ
	Filter capacity	5 L	5 L	5 L	5 L	5 L
	Swivel	✓	✓	✓	✓	✓
	Sensor Nav System™	✓	✓	✓	✓	✓
	Remote control	-	(with app)	(with app)	(with app)	(with app)
	Pressure Sensor	-	✓	✓	✓	✓
	Type of brush	Contact +	Contact +	Contact +	Contact +	Contact +
Cycles	Number of cycles	2	Multiple	Multiple	Multiple	Multiple
	Cleaning cycles	Quick floor only Smart floor/ walls / waterline (calculated time)	Quick floor only Smart floor/ walls / waterline (calculated time) Ultra floor / walls / waterline	Quick floor only Smart floor/ walls / waterline (calculated time) Ultra floor / walls / waterline Waterline only	Quick floor only Smart floor/ walls / waterline (calculated time) Ultra floor / walls / waterline Waterline only	Multiple from 0h30 to 6h with preset cycles Quick floor only Smart floor/ walls / waterline (calculated time) Ultra floor / walls / waterline Waterline only
	Manual cleaning time adjustment	-	✓	✓	✓	✓
Ease of use	iAqualink™ app control	✓	✓	✓	✓	✓
	Lift System	✓	✓	✓	✓	✓
	7-day timer	-	✓	✓	✓	✓
	Full filter indicator	✓	✓	✓	✓	✓
	Transparent window	✓	✓	✓	✓	✓
	Illuminated filter	✓	✓	✓	✓	✓
	Type of filter	Rigid Filter canister with access over the cleaner	Rigid Filter canister with access over the cleaner	Rigid Filter canister with access over the cleaner	Rigid Filter canister with access over the cleaner	Rigid Filter canister with access over the cleaner
Trolley	✓	✓	✓	✓	✓	
Advanced app features	Water temperature display	-	-	✓ (info in app)	✓ (info in app)	✓ (info in app)
	Spot cleaning mode	-	-	✓	✓	✓
	Warranty	4 years**	4 years**	4 years**	4 years**	4 years**

* 3 years + 1 year if the cleaner is paired to iAqualink™

ELECTRIC CLEANERS

RA 6300 iQ - ALPHA iQ™ PRO



ULTRA-EFFICIENCY COMBINED WITH INTELLIGENCE

- + Sensor Nav Sytem™: intelligent and personalised cleaning
- + Ultra-powerful & long lasting suction
- + Effortless removal from water
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere



REFERENCE PRICE

Standard Model	WR000199
----------------	----------

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	2 cycles - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time)
Timer	No
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	No
Brushes	Yes (Contact + Brushes)
Lift System	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	No
Water temperature measurement	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	18m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	19,7 kg
Filtering surface and level	1180 cm ² / 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
R0863500	R0863600	R0863700	R0568100

* 3 years + 1 year if the cleaner is paired to iAqualink™

ELECTRIC CLEANERS

RA 6500 iQ - ALPHA iQ™ PRO



4 YEAR
WARRANTY*

Sensor
Nav
System™

PATENTED
CYCLONE
SUCTION

PATENTED
LIFT SYSTEM*

SWIVEL

iAquaLink
CONTROL

ULTRA-EFFICIENCY COMBINED WITH INTELLIGENCE

- + Sensor Nav Sytem™: intelligent and personalised cleaning
- + Ultra-powerful & long lasting suction
- + Effortless removal from water
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere

REFERENCE PRICE

Standard Model

WR000198

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 12 x 6 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	Multiple from 0h30 to 3h30 with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45)
Timer	7-days
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	Yes
Brushes	Yes (Contact + Brushes)
Lift System	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	Remote control mode (with app)
Water temperature measurement	No
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	18m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	19,9 kg
Filtering surface and level	1180 cm ² / 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
R0863500	R0863600	R0863700	R0568100

* 3 years + 1 year if the cleaner is paired to iAqualink™

ELECTRIC CLEANERS

RA 6700 iQ - ALPHA iQ™ PRO



ULTRA-EFFICIENCY COMBINED WITH INTELLIGENCE

- + Sensor Nav Sytem™: intelligent and personalised cleaning
- + Ultra-powerful & long lasting suction
- + Effortless removal from water
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere

4
YEAR
WARRANTY*

Sensor
Nav
System

PATENTED
CYCLONE
SUCTION

PATENTED
LIFT SYSTEM™

SWIVEL

iAquaLink
CONTROL

REFERENCE PRICE

Standard Model

WR000197

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Ultra-Fine Filter canister 60µ	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 15 x 7 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	Multiple from 0h30 to 3h30 with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45) - Waterline only: 0h45
Timer	7-days
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	Yes
Brushes	Yes (Contact + Brushes)
Lift System	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	Remote control mode (with app)
Water temperature measurement	Yes (info in app)
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	21m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	20,2 kg
Filtering surface and level	1180 cm ² / 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

Ultra-fine filter canister 60µ	Fine filter canister 100µ	Large debris filter canister 200µ	Protective cover
R0863500	R0863600	R0863700	R0568100

* 3 years + 1 year if the cleaner is paired to iAqualink™



4 YEAR
WARRANTY*



ELECTRIC CLEANERS

RA 6800 iQ - ALPHA iQ™ PRO



ULTRA-EFFICIENCY COMBINED WITH INTELLIGENCE

- + Sensor Nav Sytem™: intelligent and personalised cleaning
- + Ultra-powerful & long lasting suction
- + Dual-Stage filtration
- + Effortless removal from water
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere

REFERENCE PRICE

Standard Model

WR000295

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Dual-Stage filter 150 + 60µ (with possibility to use 150µ alone)	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 15 x 7 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	Multiple from 0h30 to 3h30 with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45) - Waterline only: 0h45
Timer	7-days
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	Yes
Brushes	Yes (Contact + Brushes)
Lift System	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	Remote control mode (with app)
Water temperature measurement	Yes (info in app)
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	21m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	20,5 kg
Filtering surface and level	1827 cm ² / 150 and 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm


OPTIONAL ACCESSORIES (NOT INCLUDED)

Coarse filter 150µ for stand alone or Dual-Stage use	Ultra-fine filter 60µ for Dual-Stage use	Fine filter canister 100µ	Large debris filter canister 200µ	Ultra-fine filter canister 60µ	Protective cover
R0913300	R0913400	R0863600	R0863700	R0863500	R0568100

* 3 years + 1 year if the cleaner is paired to iAqualink™

ELECTRIC CLEANERS

RA 6900 iQ - ALPHA iQ™ PRO



4 YEAR WARRANTY*



ULTRA-EFFICIENCY COMBINED WITH INTELLIGENCE

- + Sensor Nav Sytem™: intelligent and personalised cleaning
- + Ultra-powerful & long lasting suction
- + Dual-Stage filtration
- + Effortless removal from water
- + Wi-fi connected : intuitive interface and advanced functionalities in app from everywhere

REFERENCE PRICE

Standard Model

WR000296

ACCESSORIES INCLUDED IN THE PACK

Trolley	Control box	Dual-Stage filter 150 + 60µ (with possibility to use 150µ alone)	Contact + Brushes	Swivel	Free app

FOR WHICH TYPE OF POOLS?

Types of pools	Private in-ground pools and above-ground pools with rigid walls, maximum 20 x 10 m
Pool shapes	Rectangular, oval, free shape
All Floors	Flat, gentle slope, composite slope, diamond shape
Pool surfaces	Tiles, liner, polyester hull, reinforced PVC, painted concrete

DESCRIPTION

Cleaning areas	Floor / walls / waterline
Number / Length of cleaning cycles	Multiple from 0h30 to 6h with preset cycles: - Quick: floor only 1h15 - Smart: floor/ walls / waterline (calculated time) - Ultra: floor / walls / waterline (2h45) - Waterline only: 0h45
Timer	7-days
Power supply	Autonomous, connected to 230V mains supply before the transformer
Steering	Pre-programmed
Drive system	4 wheel drive - 2 motors
Transmission	Gear transmission
Pressure sensor	Yes
Brushes	Yes (Contact + Brushes)
Lift System	Yes
Transparent window	Yes
Full filter indicator	Yes
Remote control	Remote control mode (with app)
Water temperature measurement	Yes (info in app)
Safety	Deck system, out of water safety, diagnostic, electronic motor protector
Filtration system / access	Rigid Filter canister with access over the cleaner
Units / pallet	16

TECHNICAL SPECIFICATIONS

Number of motors	3
Control box supply	200-240 VAC ; 50 / 60 Hz
Power supply	30 VDC
Operating power	150 W
Cable length / Hose length	25m with Swivel
Cleaner size (L x W x h)	43 x 48 x 27 cm
Packaging size (L x W x h)	56 x 56 x 46 cm
Cleaner weight	10 kg
Packaging weight	20,9 kg
Filtering surface and level	1827 cm ² / 150 and 60µ
Filtering capacity	5 L
Inlet suction size	24,5 cm

OPTIONAL ACCESSORIES (NOT INCLUDED)

Coarse filter 150µ for stand alone or Dual-Stage use	Ultra-fine filter 60µ for Dual-Stage use	Fine filter canister 100µ	Large debris filter canister 200µ	Ultra-fine filter canister 60µ	Protective cover
R0913300	R0913400	R0863600	R0863700	R0863500	R0568100

* 3 years + 1 year if the cleaner is paired to iAqualink™