





POOLS MADE TO LAST

19 307



CONTENT

6 ABOUT US
8 TECHNOLOGY
11 POOL LAYERS
12 INSTALLATION
14 COLOR RANGE
16 POOL RANGE

18 RIO
20 RIO LITE / PRO
22 ENZO
24 ENZO LITE / PRO
26 FLASH

- 28 CORSICA | COSTA RICA
- 30 MONACO 650 | 750 | 850 | 1000
- 32 ANTIBES



ABOUT US

Rhino Pools is a subsidiary company and belongs to a group of companies that have been working with fiberglass since 1998.

SEPARATE PRODUCTION LINES WE ARE WORKING ON:

 Mold and model manufacturing for other fiberglass and plastic industry companies

• Fiberglass and plastic products in small and large quantities by using manual laminating and vacuum laminating with vacuum film or back-sided molds

Our pool factory produces over 700 pools per year, which are sold through the dealer network throughout Europe, as well as in the East and the Middle East. Today we can proudly say that we have more than 10,000 happy clients enjoying our pools.



TECHNOLOGY

Our pools are made to last.

Production begins with manual fiberglass forming using the highest quality materials.

10-layer wall structure, extra ceramic and fiberglass reinforcement layers, double bottom and sprayedover foam insulation guarantee a long lasting product, which is leakproof forever!

The production of fiberglass products started back in 1998 and we have developed extensive experience over the last 20 years.

All pools pass strict quality control and we can proudly guarantee that Rhino pools are leakproof for life.







POOL LAYERS



- GELCOAT LAYER 1 first color tone with UV & osmose protection
- **GELCOAT LAYER 2** second color tone with additional osmosis protection properties
- INYLESTER GELCOAT LAYER provides maximum resistance to chemicals and solvents
- VINYLESTER GELCOAT LAYER 2 reinforced by fiberglass
- RHINO CARBON SKIN extra reinforcement for pool rigidity

- VINYLESTER GELCOAT LAYER 3 has special ceramic reinforcement
- LAMINATED STEEL BEAM for perimeter stability and rigidity
- STRUCTURAL FIBERGLASS LAYER 1
- STRUCTURAL FIBERGLASS LAYER 2
- STRUCTURAL FIBERGLASS LAYER 3
- PU FOAM thermal insulation layer
- STRUCTURAL HONEYCOMB LAYER extra protection for pool flooring

INSTALLATION

Rhino Pools is offering a plug and play solution to every customer.

Our special designed pool structure allows the pool to be installed with minimum intervention in the garden.

Fast and easy installation of the pool is possible only because of special designed pool structure of Rhino Pools Ceramic core, special Honeycomb bottom structure and new Rhino Carbon Skin, high density PU foam, special Mat-combined structure.

You only need gravel to backfill the pool. Both in the bottom and sides!



EVERY POOL HAS ITS OWN HIDDEN FEATURES:

- Easy installation
- Do it yourself option
- No concrete bed required
- Only gravel backfill



STANDARD COLOR RANGE



WHITE FROST



STEEL GRAY



AQUA BLUE



SHADOW GRAY

3D COLOR RANGE



NAVY PEARL



OCEAN PEARL



QUARTZ PEARL



BEACH PEARL

POOL RANGE



RIO

OUTSIDE LENGTH	4.74 m
OUTSIDE WIDTH	2.43 m
INSIDE LENGTH	4.52 m
INSIDE WIDTH	2.20 m
DEPTH	1.35 m
SURFACE AREA	9.50 m²
VOLUME	8.50 m³
WEIGHT	500 kg



5.26 m OUTSIDE LENGTH OUTSIDE WIDTH 2.43 m 4.52 m INSIDE LENGTH INSIDE WIDTH 2.20 m 1.35 m DEPTH SURFACE AREA 9.50 m² 8.50 m³ VOLUME 600 kg WEIGHT



ENZO



OUTSIDE LENGTH	4.76 m
OUTSIDE WIDTH	2.44 m
INSIDE LENGTH	4.54 m
INSIDE WIDTH	2.22 m
DEPTH	1.35 m
SURFACE AREA	9.91 m²
VOLUME	9.37 m ³
WEIGHT	500 kg



COSTA **RICA**

OUTSIDE LENGTH	8.00 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	7.67 m
INSIDE WIDTH	3.37 m
DEPTH	1.50 m
SURFACE AREA	25.63 m²
VOLUME	28.79 m ³
WEIGHT	920 kg



OUTSIDE LENGTH	6.50 m
OUTSIDE WIDTH	3.30 m
INSIDE LENGTH	6.25 m
INSIDE WIDTH	3.00 m
DEPTH	1.50 m
SURFACE AREA	18.50 m²
VOLUME	18.60 m³
WEIGHT	630 kg



MON	ACO
750	



OUTSIDE LENGTH	7.50 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	7.18 m
INSIDE WIDTH	3.38 m
DEPTH	1.50 m
SURFACE AREA	24.40 m²
VOLUME	25.90 m ³
WEIGHT	900 kg



OUTSIDE LENGTH	5.27 m
OUTSIDE WIDTH	2.44 m
INSIDE LENGTH	4.54 m
INSIDE WIDTH	2.22 m
DEPTH	1.35 m
SURFACE AREA	9.91 m²
VOLUME	9.37 m³
WEIGHT	



OUTSIDE LENGTH OUTSIDE WIDTH INSIDE LENGTH INSIDE WIDTH DEPTH SURFACE AREA VOLUME WEIGHT



6.00 m 3.00 m 5.63 m 2.65 m 1.45 m 13.60 m² 13.40 m³ 500 kg



OUTSIDE LENGTH	7.40 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	7.00 m
INSIDE WIDTH	3.31 m
DEPTH	1.50 m
SURFACE AREA	23.04 m ²
VOLUME	28.72 m ³
WEIGHT	840 kg



MONACO 850

OUTSIDE LENGTH	8.50 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	8.18 m
INSIDE WIDTH	3.38 m
DEPTH	1.50 m
SURFACE AREA	27.70 m²
VOLUME	30.10 m³
WEIGHT	1000 kg



OUTSIDE LENGTH	10.00 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	9.68 m
INSIDE WIDTH	3.38 m
DEPTH	1.50 m
SURFACE AREA	32.80 m²
VOLUME	36.30 m³
WEIGHT	1250 kg





ANTIBES

OUTSIDE LENGTH	8.32 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	8.00 m
INSIDE WIDTH	3.37 m
DEPTH	1.50 m
SURFACE AREA	26.80 m²
VOLUME	28.46 m ³
WEIGHT	880 kg



- Anti-slip steps
- Adjusted step height
- Integrated swim jet place
- Special place for main drain

RIO

The smallest member in the Rhino Pools range with double sided steps will allow the pool to fit any garden. Cantered first step is designed to fit most of the swim jets.

OUTSIDE L	ENGTH	4.74 m
OUTSIDE W	/IDTH	2.43 m
INSIDE LEN	IGTH	4.52 m
INSIDE WIE	ЭТН	2.20 m
DEPTH		1.35 m
SURFACE A	REA	9.50 m²
VOLUME		8.50 m ³
WEIGHT		500 kg











- Anti-slip steps
- Adjusted step height
- Integrated swim jet place
- Special place for main drain
- Integrated massage and filtration systems

RIO LITE / PRO



The perfect pool for small and cozy gardens. Now comes in 2 variants as LITE or PRO.

Lite variant comes with cartridge filtration system, pump, LED light and bypass. All equipment is factory pre-installed and tested.

PRO - A plug and play solution that comes with a cartridge filter system, 4 rotating massage jets, swim jet, LED lightning, Balboa control system, 2 speed pump, 3.0 kW electrical heater and a possibility to connect water curtains.

OUTSIDE LENGTH	5.26 m
OUTSIDE WIDTH	2.43 m
INSIDE LENGTH	4.52 m
INSIDE WIDTH	2.20 m
DEPTH	1.35 m
SURFACE AREA	9.50 m²
VOLUME	8.50 m³
WEIGHT	600 kg







- Anti-slip steps
- 2 benches
- Adjusted step height

ENZO

Our second smallest member in the pool range with a corner step and 2 benches for You and Your kids to sit and climb.

OUTSIDE LENGTH	4.76 m
OUTSIDE WIDTH	2.44 m
INSIDE LENGTH	4.54 m
INSIDE WIDTH	2.22 m
DEPTH	1.35 m
SURFACE AREA	9.91 m²
VOLUME	9.37 m ³
WEIGHT	500 kg











- Anti-slip steps
- 2 benches

- Adjusted step height
- Integrated massage and filtration systems

ENZO LITE / PRO

The second smallest pool of our range for Clients who live in cities with smaller gardens, or people who like a pack of features in a small package. These pools come in 2 variants as LITE or PRO.

Lite variant comes with cartridge filtration system, pump, LED light and bypass. All equipment is factory pre-installed and tested.

PRO version is assembled with cartridge filter system, 4 rotating massage jets, swim jet, LED lightning, Balboa control system, 2 speed pump and 3.0 kW electrical heater.

	DELENGTH	5.27 m
00131		5.27 111
OUTSI	DE WIDTH	2.44 m
INSIDE	LENGTH	4.54 m
INSIDE	WIDTH	2.22 m
DEPTH		1.35 m
SURFA	CEAREA	9.91 m²
VOLUN	1E	9.37 m³
WEIGH	ΗT	











- Anti-slip steps
- Adjusted step height
- Integrated skimmer place
- Special place for main drain

FLASH

Wide, spacious steps for convenient entrance to the pool and integrated place for skimmer installation makes this pool unique.

OUTSIDE LENGTH	6.00 m
OUTSIDE WIDTH	3.00 m
INSIDE LENGTH	5.63 m
INSIDE WIDTH	2.65 m
DEPTH	1.45 m
SURFACE AREA	13.60 m²
VOLUME	13.40 m ³
WEIGHT	500 kg







CORSICA OCEAN PEARL

- Anti-slip steps
- 5-step entrance
- Adjusted step height
- Slatted cover guidelines
- Uninterrupted swimming channel
- Special place for main drain
- Possibility to order Slatted Cover version

CORSICA – COSTA RICA

Newly released pool models designed for comfort. Convenient pool stairs with integrated bench for relaxation and height-adjusted 5 steps for easy and safe entrance.



OUTSIDE LENGTH	7.40 m	8.00 m
OUTSIDE WIDTH	3.70 m	3.70 m
INSIDE LENGTH	7.00 m	7.67 m
INSIDE WIDTH	3.31 m	3.37 m
DEPTH	1.50 m	1.50 m
SURFACE AREA	23.04 m²	25.63 m²
VOLUME	28.72 m ³	28.79 m³
WEIGHT	840 kg	920 kg







- Anti-slip steps
- 5-step entrance
- Adjusted step height
- Slatted cover guidelines
- Uninterrupted swimming channel
- Special place for main drain

MONACO 650 | 750 | 850 | 1000



Modern and elegant best seller. Doublesided stairs allow a wide variety of pool positioning possibilities. Comes with an integrated bench, 5-step entrance, slat cover guidelines and uninterrupted swimming channel.

OUTSIDE LENGTH	6.50 m	7.50 m	8.50 m	10.00 m
OUTSIDE WIDTH	3.30 m	3.70 m	3.70 m	3.70 m
INSIDE LENGTH	6.25 m	7.18 m	8.18 m	9.68 m
INSIDE WIDTH	3.00 m	3.38 m	3.38 m	3.38 m
DEPTH	1.50 m	1.50 m	1.50 m	1.50 m
SURFACE AREA	18.50 m²	24.40 m²	27.70 m²	32.80 m²
VOLUME	18.60 m³	25.90 m ³	30.10 m³	36.30 m³
WEIGHT	630 kg	900 kg	1000 kg	1250 kg







- Anti-slip steps
- Adjusted step height
- Slatted cover guidelines
- Special place for main drain
- Lounge entrance

ANTIBES

Our newest model for those who love to spend time in the pool. Full width steps are designed for comfort and relaxation. Simplicity and elegance make this a dream pool.

OUTSIDE LENGTH	8.32 m
OUTSIDE WIDTH	3.70 m
INSIDE LENGTH	8.00 m
INSIDE WIDTH	3.37 m
DEPTH	1.50 m
SURFACE AREA	26.80 m²
VOLUME	28.46 m ³
WEIGHT	880 kg





