

NEW DESIGNS



ALL NEW
WOOD LARCH RANGE




3D premium Collection

Larch

06-09

At the end of a long developing process, we reached a unique design that offers a real challenge to natural wood. Through a complex printing and embossing process we produced a liner that blends right into the Look & Feel of the most upscale swimming pools.



Larch Fresco



Larch Nature

Stone Flex

10-23

Our exclusive range of StoneFlex designs makes it possible to build or renovate a pool using a water-tight membrane with a 3D surface that looks & feels like real stone.



StoneFlex Ivory



StoneFlex Slate



StoneFlex Royal



StoneFlex Bazelet



StoneFlex Sand



StoneFlex Pearl



StoneFlex Concrete

Matrix Silver | Blue | Dune

24-29

Our stunning Matrix designs can give a pool the look and feel of real mosaic tiles while providing unparalleled impermeability of leak-free performance.



Silver



Blue




Dune

Printed range Next generation

Our next generation of printed and lacquered designs features enhanced lacquer-coating properties, increased UV resistance and color fastness, improved image depth, and fresh range of visual motifs.

Pacific


30-31



Pacific

Snapir Blue | Gold

32-33



Snapir Blue



Snapir Gold

Cool Sparks & Galit NG

34-35



Cool Sparks



Galit NG

Granit

36-37



Granit NG 1




Granit NG 2

Elva Flex

48-49


Phthalate free formulation designed for extreme resistance to enhanced U.V. conditions as well as unique chemical-contact durability. ElvaFlex is the ultimate solution for complex water seal projects & public pools. With proper care and maintenance, ElvaFlex will last practically the lifetime of the pool.



Light Grey 9135



Sand 3152



White 2028



Antislip
(available in all colors)



Blue 8283




Light Blue 8286

Classic Range


38-46




Antislip (All Unicolor & Printed designs)




Light Grey 9135



Light Blue 8286



White 2028



Dark grey 9133




Navy Blue 8287




Blue 8283



Sand 3152



Light Green 8039



Black 9902

10 Reasons to Choose Haogenplast Pool Liners

1. Excellent Resistance to Microbial Growth.
2. U.V Stability & Color-Fastness.
3. Hot-Air Welding Strength.
4. Excellent Abrasion Resistance.
5. Resistance to Super-Chlorination.
6. Superior Lacquered Liners.
7. Superior Quality Assurance Processes.
8. ElvaFlex - Premium solutions: Extreme Lifespan & Durability to Chemicals.
9. StoneFlex Range & TileFlex Range - premium designs, enhanced acrylic coating properties.
10. Matrix Range - 3D mosaic tile design.



A Larch Fresco woodpecker is perched on a wooden railing, looking down towards a swimming pool. The bird has a distinctive red crest and a long, pointed beak. The background shows a blurred outdoor setting with green foliage and a white structure.

Larch Fresco

**SO REAL....
EVEN MOTHER
NATURE GETS
CONFUSED**



What if you could choose your pool design from a new and innovative world of possibilities?

Well, now you can!

We are glad to introduce you to our latest wood designs made for swimming pools.

At the end of a long developing process, we reached a unique design that offers a real challenge to natural wood. Through a complex printing and embossing process we produced a liner that

blends right into the Look & Feel of the most up-scale swimming pools.

Quality, of course, is kept at the highest standard possible.

So, in your next project ask yourself: Will the Larch Range make this pool beautiful, special and unique?

We are sure it will.

12 YEARS Waterproofing	32°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------



A high-angle photograph of a wooden deck overlooking a swimming pool. The pool's deck is painted a vibrant green, while the surrounding deck is made of natural wood planks. A small, light-colored object, possibly a pool cover or a piece of furniture, is visible on the wooden deck in the upper left corner. The water in the pool is clear and blue, with some white foam visible in the bottom right corner. A white rectangular box is superimposed over the green deck area, containing the text 'Larch Nature'.

Larch
Nature



12 YEARS
Waterproofing

32°c
Temp.

5 YEARS
Stain Resistance

5 YEARS
Chlorine
Lightfastness

NF
15836-2
YES ✓





Stone
Flex
Ivory

Our exclusive range of StoneFlex designs makes it possible to build or renovate a pool using a water-tight membrane with a 3D surface that looks like real stone. StoneFlex membranes are formulated with an enhanced surface coating which ensures superior stain resistance, easy cleaning, and exceptional UV resistance, as well as a dry-stone feel and non-slip grip.

StoneFlex surfaces are covered with 6 layers of protective acrylic coating and have a B slip-resistance rating.

15 YEARS Waterproofing	35°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness
NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprietesies YES ✓	






Stone
Flex
Slate



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprieties YES ✓
----------------------------------	----------------------	------------------------------------	---	-----------------------------------	---	---





Stone
Flex
Concrete



Our exclusive range of StoneFlex designs makes it possible to build or renovate a pool using a water-tight membrane with a 3D surface that looks like real stone. StoneFlex membranes are formulated with an enhanced surface coating which ensures superior stain resistance, easy cleaning, and exceptional UV resistance, as well as a dry-stone feel and non-slip grip.

StoneFlex surfaces are covered with 6 layers of protective acrylic coating and have a B slip-resistance rating.

15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprietiesties YES ✓
----------------------------------	----------------------	------------------------------------	---	----------------------------	--	---





Stone Flex Bazelet





15 YEARS Waterproofing	35°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Properties YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------	--	---



A high-angle photograph of a swimming pool. The pool's surface is a vibrant turquoise blue, with light reflecting off the water. The pool is bordered by a white tiled deck. In the upper left corner, a white, ring-shaped float is partially submerged. The overall scene is bright and clean, suggesting a well-maintained pool environment.

Stone Flex Sand



15 YEARS Waterproofing	35°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprietiesties YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------	---	--






Stone Flex Pearl



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprietesities YES ✓
----------------------------------	----------------------	------------------------------------	---	-----------------------------------	---	---





Stone
Flex
Royal



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Properties YES ✓
----------------------------------	----------------------	------------------------------------	---	-----------------------------------	---	--





Matrix **Silver**

Our stunning Matrix designs can give a pool the look and feel of real mosaic tiles while providing unparalleled impermeability of leak-free performance.

Our Matrix line includes a pearl and silver layer which produces a dynamic prismatic effect similar to the shine of real glazed mosaic tiles.

Matrix surfaces and the grout in their grooves are protected with an enhanced acrylic coating which provides superior stain resistance and makes them easy to clean.



12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance
5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	Antislip Proprietiesties YES ✓





Matrix **Blue**



12 YEARS Waterproofing	34^oC Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	Antislip Proprietesities YES ✓
----------------------------------	---------------------------------	------------------------------------	---	--------------------------------------	--





Matrix Dune



12 YEARS

Waterproofing

34°C

Temp.

5 YEARS

Stain Resistance

5 YEARS


Chlorine
Lightfastness

NF
15836-2

YES ✓

Antislip
Propertiesties

YES ✓





Printed
Range
Pacific



Pacific, Snapir&Cool Sparks

Our next generation of printed and lacquered designs features enhanced lacquer-coating properties, increased UV resistance and color fastness, improved image depth, and fresh range of visual motifs.


12 YEARS
Waterproofing

34°
Temp.

5 YEARS
Stain Resistance


5 YEARS
Chlorine
Lightfastness

NF
15836-2
YES ✓





Printed
Range
Snapir
Blue & Gold



Snapir Blue

Snapir Gold



12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------






Printed
Range
**Cool Sparks
& Galit NG**




Cool Sparks

Galit NG



12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------





Printed
Range
Granit



Granit NG 1


Granit NG 2



12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------



Classic Light Blue 8286




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Light Green 8039




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Black₉₉₀₂



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic White 2028



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Blue 8283




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Navy Blue 8287



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Light Grey 9135



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Sand³¹⁵²



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Dark Grey 9133



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Natural Pools

These ecologically sensitive swimming pools are an ideal complement to modern architecture and garden spaces, and provide a safe environment for children and pets.



Eco green 7219



Dark grey 9133



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓
-------------------------------------	---------------------	--------------------------------------

ElvaFlex

Translations pages 8-9

ElvaFlex's uniquely durable, phthalate-free formula was designed for extreme resistance to intense UV radiation, severe weather conditions, and corrosive chemicals.

ElvaFlex is the ultimate solution for large-scale water parks, public pools, natural pools and specialized mineral pools, hot tubs, and other aquatic facilities.

With proper care and maintenance, ElvaFlex will maintain its integrity, including its flexibility, throughout the lifespan of almost any pool.


ElvaFlex's unique formulation eliminates almost any type of migration from the PVC membrane into the surrounding water, and thus it outperforms any other water-seal solution, in both extremely hot and extremely cold weather conditions.

Over the last 30 years, ElvaFlex's

Elva Flex



Light Blue



Light Grey 9135



Sand 3152



White 2028



Antislip (available in all colors)



Blue 8283



Light Blue 8286



Light Grey

Elva Flex



Elva Flex



Light Grey



remarkable performance has been documented at numerous water parks, public pools, and natural pools. For decades now, its unique durability, color-stability, and flexibility have been demonstrated again and again, even in extreme conditions.

ElvaFlex's long-term resistance to high concentrations of chlorine and other corrosive chemicals—including sunblock, suntan lotions, and other personal-care products that may accumulate in public bodies of water during busy seasons—keeps pools water-tight even under the harshest conditions, such as intense UV radiation and extreme heat.

ElvaFlex membranes are perfect for hot tubs and hydrotherapy pools. Their unique durability and unparalleled resistance to the corrosive effects of water, heat, and therapeutic chemicals make them an ideal long-term water-seal solution.



Unicolor Blue



Light Blue



20 YEARS
Waterproofing

37°C
Temp.

5 YEARS
Stain Resistance

5 YEARS
Chlorine
Lightfastness

NF
15836-2
YES ✓

CERTIFICATION
Public Pools
YES ✓

Phthalate
Free
YES ✓