




A NEW LIGHTING CONCEPT FOR YOUR POOL

Personalize your pool lighting
IN THREE SINGLE STEPS:



STEP 1

Choose your **fixing** according to the characteristics and materials of your pool

FIXING							
Type	EASY		QUICK			NICHE*	
							
	1.5"	2"	CONCRETE	PANEL	LINER	CONCRETE	LINER
Reference	3469KIT1	3469KIT2	3464KIT1	3464KIT2	3464KIT3	3478KITE	3481KITE

* The niche kit come with the a white finish frame PRDX240

STEP 2

Make your choice in **colour(s)** and power

LED LIGHT COLOUR

Colour	COOL WHITE (6500K)			RGB		
						
Consumption (W)	18	25	32	18	25	32
Power supply	12 VCA			20 VCC		
Number of LEDs	252			252		
Perceived power (lm)	1600	2250	2850	800	1100	1400
Scatter angle	120°			120°		
Cable length (m)	2.30			2.30		
Reference	81486H	81487H	81488H	81489H	81490H	81491H

STEP 3

Choose the **color frame** according to your pool color

FINISH

EASY & QUICK

NICHE

Colour	WHITE	DARK GREY	LIGHT GREY	SAND	WHITE	DARK GREY	LIGHT GREY	SAND
								
Reference	PRX3464FWH	PRX3464FDGR	PRX3464FLG	PRX3464FSA	PRDX240	PRDX240DGR	PRDX240LG	PRDX240SA

... AND THE LAST STEP

Automate **your lighting control**

H-POWER CONNECT




AQUARITE® RANGE




COMPLETE
YOUR ORDER WITH
HAYWARD® CONTROL
EQUIPMENT

EvoLogic
by HAYWARD

CONTROL STATION



RADIO CONTROLLERS





HAYWARD® LIGHTING EFFICIENCY INFORMATION



As defined by the standard **EN17645**

Maximum operating power consumption
(W)



Standby power consumption
(W)



FLAT LED PROJECTOR EVOLOGIC



ITEM	LAMP COLOUR	LABEL	STANDARD EN 17645	Maximum operating power consumption (W)	Standby power consumption (W)
81486H	White	E	●	18	0
81487H	White	E	●	25	0
81488H	White	F	●	32	0
81489H	RGB	—	Not involved	—	—
81490H	RGB	—	Not involved	—	—
81491H	RGB	—	Not involved	—	—

PAR56 NICHE PROJECTOR COFIES



3478PLDBL3	White	D	●	13	0
3481PLDBL3	White	D	●	13	0
3481PLDBL3DGR	White	D	●	13	0
3481PLDBL3LG	White	D	●	13	0
3481PLDBL3SA	White	D	●	13	0
3478LDRGB3	RGB	—	Not involved	—	—
3481LDRGB3	RGB	—	Not involved	—	—
3481LDRGB3DGR	RGB	—	Not involved	—	—
3481LDRGB3LG	RGB	—	Not involved	—	—
3481LDRGB3SA	RGB	—	Not involved	—	—

MINI LED PROJECTOR



3424LEDBL	White	E	●	5.4	0
3429LEDBL	White	E	●	5.4	0
3424LEDRGB	RGB	—	Not involved	—	—
3429LEDRGB	RGB	—	Not involved	—	—

FLAT LED PROJECTOR



3464PLDBL	White	E	●	18	0
3469PLDBL	White	E	●	18	0
3464LDRGB	RGB	—	Not involved	—	—
3469LDRGB	RGB	—	Not involved	—	—

POWERLINE PAR56 LED BULB



81481	White	E	●	18	0
81480	RGB	—	Not involved	—	—

Flat LED Projector EvoLogic



YEARS OF WARRANTY



As defined by EN 17645.
Go to report pages to see
the complete detail by item.

A SCALABLE SOLUTION TO MEET ALL NEEDS

**NO MORE NEEDED!
WITH ONLY 21 REFS. WE SOLVE THE
LIGHTING FOR 168 TYPES OF POOLS**

EvoLogic
by HAYWARD

- By **simply choosing 3 components** you can build up to 168 combinations to cover all your needs!
- Our easy concept is structured over 3 link pins, a unique lamp technology, a specific fasten and a coloured frame according to your needs:
 - The lamp:** 6 references divided in white or RGB that combine high power and low consumption
 - The fasten:** 3 different fixing systems to be choose between:
 - EASY** for or a fast and simple installation by threading the fixing on a 1.5" or 2" nozzle
 - QUICK** for surface mounting. A complete set with 3 different possibilities: concrete, liner or panel
 - NICHE** for a traditional mounting (Concrete or Liner).
- 4 Colour frame available** to complete your finish



1 projector - 3 references



1/ FIXING	Ref.	3469KIT1	3469KIT2	3464KIT1	3464KIT2	3464KIT3	3478KITE	3481KITE
	Model	EASY		QUICK			NICHE	
	Connection	1.5"	2"	-				
	Type of pool	Concrete / Liner / Panel		Concrete	Panel	Liner	Concrete	Liner

Ref.		81486H	81487H	81488H	81489H	81490H	81491H
2/ LED LIGHT COLOUR	Lamp colour	Cool white (6500K)			RGB		
	Consumption (W)	18	25	32	18	25	32
	Power supply	12 VCA			20 VCC		
	Number of LEDs	252					
	Perceived power (lm)	1600	2250	2850	800	1100	1400
	Scatter angle	120°					
	Cable length (m)	2.30					


	Ref.	PRX3464FWH	PRX3464FDGR	PRX3464FLG	PRX3464FSA	PRDX240	PRDX240DGR	PRDX240LG	PRDX240SA
3/ FINISH / COLOURED FRAME	For Model	EASY & QUICK				NICHE			
	Colour	○	●	●	●	○	●	●	●

TUTORIALS

HOW TO INSTALL EVOLOGIC BY HAYWARD®?

1.5" FIBERGLASS POOL

References: 3469KIT1 - 81486H - PRX3464FWH*




2" FIBERGLASS POOL

References: 3469KIT2 - 81486H - PRX3464FWH*



1.5" CONCRETE POOL

References: 3469KIT1 - 81486H - PRX3464FWH*



2" CONCRETE POOL

References: 3469KIT2 - 81486H - PRX3464FWH*

